# ELECTRICAL COMMUNICATION

VOLUME 36

1959-1960



Published Quarterly and Copyrighted by
INTERNATIONAL TELEPHONE AND TELEGRAPH CORPORATION
67 BROAD STREET, NEW YORK 4, NEW YORK, U.S.A.

# SUBJECT INDEX


| | Number | Pages |
|---|---|---|
| **A**eronautical Navigation: | | |
| Award for Automatic Radio Direction Finders in Aircraft | 1 | 26 |
| Design Concepts of a High-Brightness Airborne Radar Indicator. E. W. Koenig | 2 | 132–138 |
| Iatron Storage Display Tube with Coaxial Writing and Flooding Guns. M. F. Toohig | 2 | 139–143 |
| Amplifiers: | | |
| Evaluation of Intermediate-Frequency and Baseband Diversity Combining Receivers. R. T. Adams and B. M. Mindes | 2 | 123–131 |
| Transformers for 70-Megacycle Intermediate-Frequency Amplifiers. W. F. Glover and E. D. Peakall | 1 | 27–29 |
| AN/MRC-55 General-Purpose Mobile High-Frequency Communication Equipment. M. C. Dettman | 4 | 276–284 |
| Antennas: On the Design of Some Rhombic Antenna Arrays. A. A. de Carvalho Fernandes | 1 | 30–41 |
| Assessment and Control of Cathode Interface Impedance. J. Seymour | 2 | 112–122 |
| Atmosphere as a Factor in Tropospheric Propagation Far Beyond the Horizon, Refractive Index of the. R. E. Gray | 1 | 60–68 |
| Automatic Radio Direction Finders in Aircraft, Award for | 1 | 26 |
| Award for Automatic Radio Direction Finders in Aircraft | 1 | 26 |
| **B**andwidth: Gaussian-Response Filter Design. M. Dishal | 1 | 2–26 |
| Beyond-Horizon Propagation: | | |
| Evaluation of Intermediate-Frequency and Baseband Diversity Combining Receivers. R. T. Adams and B. M. Mindes | 2 | 123–131 |
| Refractive Index of the Atmosphere as a Factor in Tropospheric Propagation Far Beyond the Horizon. R. E. Gray | 1 | 60–68 |
| Binary Transmission: High-Speed Transmission of Numerical Data Over Telephone Channels. A. Girinsky and P. Roussel | 4 | 248–262 |
| Biographical: | | |
| In Memoriam—Sir Francis J. E. Brake | 4 | 290 |
| In Memoriam—Fernand P. Gohorel | 3 | 224 |
| Books: | | |
| Metal Rectifier Engineering | 1 | 59 |
| Transistor Circuits | 1 | 69 |
| Broadband Antennas: On the Design of Some Rhombic Antenna Arrays. A. A. de Carvalho Fernandes | 1 | 30–41 |
| Business: | | |
| World's Telephones—1958 | 2 | 144–148 |
| World's Telephones—1959 | 3 | 212–216 |
| **C**alibration: | | |
| ITT Standards Laboratory | 2 | 77–103 |
| ITT Standards Laboratory—Operation. S. Silverman | 2 | 104–111 |
| Carrier Telephony: K24A Syncroplex Telephone Carrier System. B. G. Coetsee, G. L. Curtis, and J. W. Halina | 4 | 230–247 |
| Cathodes, Vacuum Tube: | | |
| Assessment and Control of Cathode Interface Impedance. J. Seymour | 2 | 112–122 |
| Modern Power-Tube Techniques | 4 | 228–229 |
| Cathode-Ray Tubes: | | |
| Design Concepts of a High-Brightness Airborne Radar Indicator. E. W. Koenig | 2 | 132–138 |
| Iatron Storage Display Tube with Coaxial Writing and Flooding Guns. M. F. Toohig | 2 | 139–143 |
| Central Office Equipment: | | |
| Introduction of Electronics in Telephone Switching. Prince L. de Broglie | 3 | 158–161 |
| Use of "Stantec Zebra" to Calculate a Traffic Table for a Three-Link Time-Division-Multiplex Telephone Exchange. H. H. Adelaar and D. G. N. Hunter | 3 | 189–196 |
| 240-Line Fully Electronic Telephone Switchboard. G. Goudet | 3 | 162–179 |
| Ceramics: Modern Power-Tube Techniques | 4 | 228–229 |
| Communications: | | |
| AN/MRC-55 General-Purpose Mobile High-Frequency Communication Equipment. M. C. Dettman | 4 | 276–284 |
| Radio Communication Using Earth-Satellite Repeaters. L. Pollack | 3 | 180–188 |
| Computation: Use of "Stantec Zebra" to Calculate a Traffic Table for a Three-Link Time-Division-Multiplex Telephone Exchange. H. H. Adelaar and D. G. N. Hunter | 3 | 189–196 |
| **D**ata Transmission: High-Speed Transmission of Numerical Data Over Telephone Channels. A. Girinsky and P. Roussel | 4 | 248–262 |
| Death Notices: See Obituary. | | |
| Design: | | |
| Design and Operation of High-Power Triodes for Radio-Frequency Heating. W. J. Pohl | 3 | 202–211 |
| Design Concepts of a High-Brightness Airborne Radar Indicator. E. W. Koenig | 2 | 132–138 |
| On the Design of Some Rhombic Antenna Arrays. A. A. de Carvalho Fernandes | 1 | 30–41 |
| Transistor Circuits (Book) | 1 | 69 |
| Development: | | |
| World's Telephones—1958 | 2 | 144–148 |
| World's Telephones—1959 | 3 | 212–216 |

| | Number | Pages |
|---|---|---|
| Digital Transmission: High-Speed Transmission of Numerical Data Over Telephone Channels. A. Girinski and P. Roussel | 4 | 248–262 |
| Direction Finders in Aircraft, Award for Automatic Radio | 1 | 26 |
| Directive Antennas: On the Design of Some Rhombic Antenna Arrays. A. A. de Carvalho Fernandes | 1 | 30–41 |
| Display Tubes: | | |
| Design Concepts of a High-Brightness Airborne Radar Indicator. E. W. Koenig | 2 | 132–138 |
| Iatron Storage Display Tube with Coaxial Writing and Flooding Guns. M. F. Toohig | 2 | 139–143 |
| Diversity: Evaluation of Intermediate-Frequency and Baseband Diversity Combining Receivers. R. T. Adams and B. M. Mindes | 2 | 123–131 |
| **E**arth-Satellite Repeaters, Radio Communication Using. L. Pollack | 3 | 180–188 |
| Economics: Radio Communication Using Earth-Satellite Repeaters. L. Pollack | 3 | 180–188 |
| Electrical Measurements: | | |
| ITT Standards Laboratory | 2 | 77–103 |
| ITT Standards Laboratory—Operation. S. Silverman | 2 | 104–111 |
| Electron Tubes: See Vacuum Tubes. | | |
| Electronic Switching: | | |
| Introduction of Electronics in Telephone Switching. Prince L. de Broglie | 3 | 158–161 |
| 240-Line Fully Electronic Telephone Switchboard. G. Goudet | 3 | 162–179 |
| Evaluation of Intermediate-Frequency and Baseband Diversity Combining Receivers. R. T. Adams and B. M. Mindes | 2 | 123–131 |
| Evaporative Cooling: Modern Power-Tube Techniques | 4 | 228–229 |
| **F**ading: | | |
| Evaluation of Intermediate-Frequency and Baseband Diversity Combining Receivers. R. T. Adams and B. M. Mindes | 2 | 123–131 |
| Refractive Index of the Atmosphere as a Factor in Tropospheric Propagation Far Beyond the Horizon. R. E. Gray | 1 | 60–68 |
| Thermal Noise in Multisection Radio Links. B. B. Jacobsen | 1 | 42–59 |
| Filters: Gaussian-Response Filter Design. M. Dishal | 1 | 2–26 |
| Frequency-Division Multiplex: K24A Syncroplex Telephone Carrier System. B. G. Coetsee, G. L. Curtis, and J. W. Halina | 4 | 230–247 |
| **G**as Tubes: 240-Line Fully Electronic Telephone Switchboard. G. Goudet | 3 | 162–179 |
| Gaussian-Response Filter Design. M. Dishal | 1 | 2–26 |
| **H**eating, Design and Operation of High-Power Triodes for Radio-Frequency. W. J. Pohl | 3 | 202–211 |
| High Frequencies: | | |
| AN/MRC-55 General-Purpose Mobile High-Frequency Communication Equipment. M. C. Dettman | 4 | 276–284 |
| On the Design of Some Rhombic Antenna Arrays. A. A. de Carvalho Fernandes | 1 | 30–41 |
| High-Power Tubes: | | |
| Design and Operation of High-Power Triodes for Radio-Frequency Heating. W. J. Pohl | 3 | 202–211 |
| Modern Power-Tube Techniques | 4 | 228–229 |
| High-Speed Transmission of Numerical Data Over Telephone Channels. A. Girinsky and P. Roussel | 4 | 248–262 |
| Historical: Introduction of Electronics in Telephone Switching. Prince L. de Broglie | 3 | 158–161 |
| **I**atron Tubes: | | |
| Design Concepts of a High-Brightness Airborne Radar Indicator. E. W. Koenig | 2 | 132–138 |
| Iatron Storage Display Tube with Coaxial Writing and Flooding Guns. M. F. Toohig | 2 | 139–143 |
| Impulse Response: Gaussian-Response Filter Design. M. Dishal | 1 | 2–26 |
| Indicators: | | |
| Design Concepts of a High-Brightness Airborne Radar Indicator. E. W. Koenig | 2 | 132–138 |
| Iatron Storage Display Tube with Coaxial Writing and Flooding Guns. M. F. Toohig | 2 | 139–143 |
| In Memoriam— | | |
| Sir Francis J. E. Brake | 4 | 290 |
| Fernand P. Gohorel | 3 | 224 |
| Induction Heating: Design and Operation of High-Power Triodes for Radio-Frequency Heating. W. J. Pohl | 3 | 202–211 |
| Interexchange Carrier: K24A Syncroplex Telephone Carrier System. B. G. Coetsee, G. L. Curtis, and J. W. Halina | 4 | 230–247 |
| Interface Impedance, Assessment and Control of Cathode. J. Seymour | 2 | 112–122 |
| Interference: | | |
| Thermal Noise in Multisection Radio Links. B. B. Jacobsen | 1 | 42–59 |
| Use of Statistical Moments for Specifying Noise in Long-Distance Telephone Circuits. B. B. Jacobsen | 3 | 197–201 |
| Interlaced Rhombic Antennas: On the Design of Some Rhombic Antenna Arrays. A. A. de Carvalho Fernandes | 1 | 30–41 |
| Intermediate-Frequency Amplifiers: | | |
| Evaluation of Intermediate-Frequency and Baseband Diversity Combining Receivers. R. T. Adams and B. M. Mindes | 2 | 123–131 |
| Transformers for 70-Megacycle Intermediate-Frequency Amplifiers. W. F. Glover and E. D. Peakall | 1 | 27–29 |

| | Number | Pages |
|---|---|---|
| Introduction of Electronics in Telephone Switching. Prince L. de Broglie | 3 | 158–161 |
| Impedance, Assessment and Control of Cathode Interface. J. Seymour | 2 | 112–122 |
| ITT Standards Laboratory | 2 | 77–103 |
| ITT Standards Laboratory—Operation. S. Silverman | 2 | 104–111 |
| **K24A** Syncroplex Telephone Carrier System. B. G. Coetsee, G. L. Curtis, and J. W. Halina | 4 | 230–247 |
| **L**aboratory: | | |
| ITT Standards Laboratory | 2 | 77–103 |
| ITT Standards Laboratory—Operation. S. Silverman | 2 | 104–111 |
| Light-Sensitive Tubes: See Phototubes. | | |
| Links, Microwave: | | |
| Evaluation of Intermediate-Frequency and Baseband Diversity Combining Receivers. R. T. Adams and B. M. Mindes | 2 | 123–131 |
| Refractive Index of the Atmosphere as Factor in Tropospheric Propagation Far Beyond the Horizon. R. E. Gray | 1 | 60–68 |
| Thermal Noise in Multisection Radio Links. B. B. Jacobsen | 1 | 42–59 |
| Long Lines: Use of Statistical Moments for Specifying Noise in Long-Distance Telephone Circuits. B. B. Jacobsen | 3 | 197–201 |
| **M**achine Switching: | | |
| Introduction of Electronics in Telephone Switching. Prince L. de Broglie | 3 | 158–161 |
| Use of "Stantec Zebra" to Calculate a Traffic Table for a Three-Link Time-Division-Multiplex Telephone Exchange. H. H. Adelaar and D. G. N. Hunter | 3 | 189–196 |
| 240-Line Fully Electronic Telephone Switchboard. G. Goudet | 3 | 162–179 |
| Manufacture: Transformers for 70-Megacycle Intermediate-Frequency Amplifiers. W. F. Glover and E. D. Peakall | 1 | 27–29 |
| Measurements: | | |
| ITT Standards Laboratory | 2 | 77–103 |
| ITT Standards Laboratory—Operation. S. Silverman | 2 | 104–111 |
| Mechanical Measurements: | | |
| ITT Standards Laboratory | 2 | 77–103 |
| ITT Standards Laboratory—Operation. S. Silverman | 2 | 104–111 |
| Metal Rectifier Engineering (Book) | 1 | 59 |
| Microwave Systems: | | |
| Evaluation of Intermediate-Frequency and Baseband Diversity Combining Receivers. R. T. Adams and B. M. Mindes | 2 | 123–131 |
| Refractive Index of the Atmosphere as a Factor in Tropospheric Propagation Far Beyond the Horizon. R. E. Gray | 1 | 60–68 |
| Thermal Noise in Multisection Radio Links. B. B. Jacobsen | 1 | 42–59 |
| Mobile High-Frequency Communication Equipment, AN/MRC-55 General-Purpose. M. C. Dettman | 4 | 276–285 |
| Modern Power-Tube Techniques | 4 | 228–229 |
| Modulation: Radio Communication Using Earth-Satellite Repeaters. L. Pollack | 3 | 180–188 |
| Moments: | | |
| Thermal Noise in Multisection Radio Links. B. B. Jacobsen | 1 | 42–59 |
| Use of Statistical Moments for Specifying Noise in Long-Distance Telephone Circuits. B. B. Jacobsen | 3 | 197–201 |
| Multiplex Telephony: K24A Syncroplex Telephone Carrier System. B. G. Coetsee, G. L. Curtis, and J. W. Halina | 4 | 230–247 |
| **N**avigation: Award for Automatic Radio Direction Finders in Aircraft | 1 | 26 |
| Network Synthesis: Gaussian-Response Filter Design. M. Dishal | 1 | 2–26 |
| Noise: | | |
| Evaluation of Intermediate-Frequency and Baseband Diversity Combining Receivers. R. T. Adams and B. M. Mindes | 2 | 123–131 |
| Thermal Noise in Multisection Radio Links. B. B. Jacobsen | 1 | 42–59 |
| Use of Statistical Moments for Specifying Noise in Long-Distance Telephone Circuits. B. B. Jacobsen | 3 | 197–201 |
| Numerical Data Over Telephone Channels, High-Speed Transmission of. A. Girinsky and P. Roussel | 4 | 248–262 |
| **O**bituary: | | |
| In Memoriam—Sir Francis J. E. Brake | 4 | 290 |
| In Memoriam—Fernand P. Gohorel | 3 | 224 |
| On the Design of Some Rhombic Antenna Arrays. A. A. de Carvalho Fernandes | 1 | 30–41 |
| Oxide-Coated Cathodes: Assessment and Control of Cathode Interface Impedance. J. Seymour | 2 | 112–122 |
| **P**article Detection: Phototubes Capable of High Current Output. S. F. Essig | 4 | 272–275 |
| Patents: See United States Patents. | | |
| Path Tests: | | |
| Refractive Index of the Atmosphere as a Factor in Tropospheric Propagation Far Beyond the Horizon. R. E. Gray | 1 | 60–68 |
| Thermal Noise in Multisection Radio Links. B. B. Jacobsen | 1 | 42–59 |

| | Number | Pages |
|---|---|---|
| Use of Statistical Moments for Specifying Noise in Long-Distance Telephone Circuits. B. B. Jacobsen | 3 | 197–201 |
| Phototubes Capable of High Current Output. S. F. Essig | 4 | 272–275 |
| Power Rectifiers, Some Performance Parameters of Silicon Junction. D. R. Coleman | 4 | 263–271 |
| Power-Tube Techniques, Modern | 4 | 228–229 |
| Precision Measurements: | | |
| ITT Standards Laboratory | 2 | 77–103 |
| ITT Standards Laboratory—Operation. S. Silverman | 2 | 104–111 |
| Propagation: | | |
| Radio Communication Using Earth-Satellite Repeaters. L. Pollack | 3 | 180–188 |
| Refractive Index of the Atmosphere as a Factor in Tropospheric Propagation Far Beyond the Horizon. R. E. Gray | 1 | 60–68 |
| Thermal Noise in Multisection Radio Links. B. B. Jacobsen | 1 | 42–59 |
| Programing: Use of "Stantec Zebra" to Calculate a Traffic Table for a Three-Link Time-Division-Multiplex Telephone Exchange. H. H. Adelaar and D. G. N. Hunter | 3 | 189–196 |
| Publications (Books): | | |
| Metal Rectifier Engineering | 1 | 59 |
| Transistor Circuits | 1 | 69 |
| **Q**uality Control: | | |
| ITT Standards Laboratory | 2 | 77–103 |
| ITT Standards Laboratory—Operation. S. Silverman | 2 | 104–111 |
| Transformers for 70-Megacycle Intermediate-Frequency Amplifiers. W. F. Glover and E. D. Peakall | 1 | 27–29 |
| **R**adar: | | |
| Design Concepts of a High-Brightness Airborne Radar Indicator. E. W. Koenig | 2 | 132–138 |
| Iatron Storage Display Tube with Coaxial Writing and Flooding Guns. M. F. Toohig | 2 | 139–143 |
| Radio Communication Using Earth-Satellite Repeaters. L. Pollack | 3 | 180–188 |
| Radio-Frequency Heating, Design and Operation of High-Power Triodes for. W. J. Pohl | 3 | 202–211 |
| Radio Set: AN/MRC-55 General-Purpose Mobile High-Frequency Communication Equipment. M. C. Dettman | 4 | 276–284 |
| Receivers: | | |
| Evaluation of Intermediate-Frequency and Baseband Diversity Combining Receivers. R. T. Adams and B. M. Mindes | 2 | 123–131 |
| Transformers for 70-Megacycle Intermediate-Frequency Amplifiers. W. F. Glover and E. D. Peakall | 1 | 27–29 |
| Rectifiers: | | |
| Metal Rectifier Engineering (Book) | 1 | 59 |
| Some Performance Parameters of Silicon Junction Power Rectifiers. D. R. Coleman | 4 | 263–271 |
| Refractive Index of the Atmosphere as a Factor in Tropospheric Propagation Far Beyond the Horizon. R. E. Gray | 1 | 60–68 |
| Repeaters: | | |
| K24A Syncroplex Telephone Carrier System. B. G. Coetsee, G. L. Curtis, and J. W. Halina | 4 | 230–247 |
| Radio Communication Using Earth-Satellite Repeaters. L. Pollack | 3 | 180–188 |
| Rhombic Antenna Arrays, On the Design of Some. A. A. de Carvalho Fernandes | 1 | 30–41 |
| **S**andretto, P. C.: Award for Automatic Radio Direction Finders in Aircraft | 1 | 26 |
| Satellite Repeaters, Radio Communication Using Earth-. L. Pollack | 3 | 180–188 |
| Scatter Propagation: Refractive Index of the Atmosphere as a Factor in Tropospheric Propagation Far Beyond the Horizon. R. E. Gray | 1 | 60–68 |
| Scintillators: Phototubes Capable of High Current Output. S. F. Essig | 4 | 272–275 |
| Semiconductors: | | |
| Introduction of Electronics in Telephone Switching. Prince L. de Broglie | 3 | 158–161 |
| K24A Syncroplex Telephone Carrier System. B. G. Coetsee, G. L. Curtis, and J. W. Halina | 4 | 230–247 |
| Metal Rectifier Engineering (Book) | 1 | 59 |
| Some Performance Parameters of Silicon Junction Power Rectifiers. D. R. Coleman | 4 | 263–271 |
| Transistor Circuits (Book) | 1 | 69 |
| 240-Line Fully Electronic Telephone Switchboard. G. Goudet | 3 | 162–179 |
| Short-Haul Carrier: K24A Syncroplex Telephone Carrier System. B. G. Coetsee, G. L. Curtis, and J. W. Halina | 4 | 230–247 |
| Silicon Junction Power Rectifiers, Some Performance Parameters of. D. R. Coleman | 4 | 263–271 |
| Some Performance Parameters of Silicon Junction Power Rectifiers. D. R. Coleman | 4 | 263–271 |
| Standards: | | |
| ITT Standards Laboratory | 2 | 77–103 |
| ITT Standards Laboratory—Operation. S. Silverman | 2 | 104–111 |
| Statistical Moments: | | |
| Thermal Noise in Multisection Radio Links. B. B. Jacobsen | 1 | 42–59 |
| Use of Statistical Moments for Specifying Noise in Long-Distance Telephone Circuits. B. B. Jacobsen | 3 | 197–201 |
| Statistics: | | |
| World's Telephones—1958 | 2 | 144–148 |
| World's Telephones—1959 | 3 | 212–216 |

| | Number | Pages |
|---|---|---|
| Storage Tubes: | | |
| Design Concepts of a High-Brightness Airborne Radar Indicator. E. W. Koenig | 2 | 132–138 |
| Iatron Storage Display Tube with Coaxial Writing and Flooding Guns. M. F. Toohig | 2 | 139–143 |
| Switching (See Also Machine Switching): | | |
| Introduction of Electronics in Telephone Switching. Prince L. de Broglie | 3 | 158–161 |
| Use of "Stantec Zebra" to Calculate a Traffic Table for a Three-Link Time-Division-Multiplex Telephone Exchange. H. H. Adelaar and D. G. N. Hunter | 3 | 189–196 |
| 240-Line Fully Electronic Telephone Switchboard. G. Goudet | 3 | 162–179 |
| Syncroplex Telephone Carrier System, K24A. B. G. Coetsee, G. L. Curtis, and J. W. Halina | 4 | 230–247 |
| Synthesis: Gaussian-Response Filter Design. M. Dishal | 1 | 2–26 |
| **T**elephones: See World's Telephones. | | |
| Telephone Channels, High-Speed Transmission of Numerical Data Over. A. Girinsky and P. Roussel | 4 | 248–262 |
| Testing: | | |
| ITT Standards Laboratory | 2 | 77–103 |
| ITT Standards Laboratory—Operation. S. Silverman | 2 | 104–111 |
| Time-Division-Multiplex Telephone Exchange, Use of "Stantec Zebra" to Calculate a Traffic Table for a Three-Link. H. H. Adelaar and D. G. N. Hunter | 3 | 189–196 |
| Thermal Noise in Multisection Radio Links. B. B. Jacobsen | 1 | 42–59 |
| Traffic Table for a Three-Link Time-Division-Multiplex Telephone Exchange, Use of "Stantec Zebra" to Calculate a. H. H. Adelaar and D. G. N. Hunter | 3 | 189–196 |
| Transformers for 70-Megacycle Intermediate-Frequency Amplifiers. W. F. Glover and E. D. Peakall | 1 | 27–29 |
| Transistors (See Also Semiconductors): Transistor Circuits (Book) | 1 | 69 |
| Transmission of Numerical Data Over Telephone Channels, High-Speed. A. Girinsky and P. Roussel | 4 | 248–262 |
| Triodes for Radio-Frequency Heating, Design and Operation of High-Power. W. J. Pohl | 3 | 202–211 |
| Tropospheric Propagation Far Beyond the Horizon, Refractive Index of the Atmosphere as a Factor in. R. E. Gray | 1 | 60–68 |
| Trunk Circuits: | | |
| K24A Syncroplex Telephone Carrier System. B. G. Coetsee, G. L. Curtis, and J. W. Halina | 4 | 230–247 |
| Radio Communication Using Earth-Satellite Repeaters. L. Pollack | 3 | 180–188 |
| Use of Statistical Moments for Specifying Noise in Long-Distance Telephone Circuits. B. B. Jacobsen | 3 | 197–201 |
| Tubes: See Vacuum Tubes. | | |
| **U**nited States Patents Issued to International Telephone and Telegraph System: | | |
| August–October 1958 | 1 | 70–72 |
| November 1958–April 1959 | 2 | 149–154 |
| May–October, 1959 | 3 | 217–223 |
| November 1959–January 1960 | 4 | 285–289 |
| Use of "Stantec Zebra" to Calculate a Traffic Table for a Three-Link Time-Division-Multiplex Telephone Exchange. H. H. Adelaar and D. G. N. Hunter | 3 | 189–196 |
| Use of Statistical Moments for Specifying Noise in Long-Distance Telephone Circuits. B. B. Jacobsen | 3 | 197–201 |
| **V**acuum Tubes: | | |
| Assessment and Control of Cathode Interface Impedance. J. Seymour | 2 | 112–122 |
| Design and Operation of High-Power Triodes for Radio-Frequency Heating. W. J. Pohl | 3 | 202–211 |
| Design Concepts of a High-Brightness Airborne Radar Indicator. E. W. Koenig | 2 | 132–138 |
| Iatron Storage Display Tube with Coaxial Writing and Flooding Guns. M. F. Toohig | 2 | 139–143 |
| Modern Power-Tube Techniques | 4 | 228–229 |
| Valves: See Vacuum Tubes. | | |
| **W**ave Filters: See Filters. | | |
| World's Telephones— | | |
| 1958 | 2 | 144–148 |
| 1959 | 3 | 212–216 |
| 240-Line Fully Electronic Telephone Switchboard. G. Goudet | 3 | 162–179 |

# AUTHOR INDEX


| | Number | Pages |
|---|---|---|
| Adams, R. T. Evaluation of Intermediate-Frequency and Baseband Diversity Combining Receivers | 2 | 123–131 |
| Adelaar, H. H. Use of "Stantec Zebra" to Calculate a Traffic Table for a Three-Link Time-Division-Multiplex Telephone Exchange | 3 | 189–196 |
| Coetsee, B. G. K24A Syncroplex Telephone Carrier System | 4 | 230–247 |
| Coleman, D. R. Some Performance Parameters of Silicon Junction Power Rectifiers | 4 | 263–271 |
| Curtis, G. L. K24A Syncroplex Telephone Carrier System | 4 | 230–247 |
| de Broglie, Prince L. Introduction of Electronics in Telephone Switching | 3 | 158–161 |
| Dettman, M. C. AN/MRC-55 General-Purpose Mobile High-Frequency Communication Equipment | 4 | 276–284 |
| Dishal, M. Gaussian-Response Filter Design | 1 | 2–26 |
| Essig, S. F. Phototubes Capable of High Current Output | 4 | 272–275 |
| Fernandes, A. A. de Carvalho. On the Design of Some Rhomic Antenna Arrays | 1 | 30–41 |
| Girinsky, A. High-Speed Transmission of Numerical Data Over Telephone Channels | 4 | 248–262 |
| Glover, W. F. Transformers for 70-Megacycle Intermediate-Frequency Amplifiers | 1 | 27–29 |
| Goudet, G. 240-Line Fully Electronic Telephone Switchboard | 3 | 162–179 |
| Gray, R. E. Refractive Index of the Atmosphere as a Factor in Tropospheric Propagation Far Beyond the Horizon | 1 | 60–68 |
| Halina, J. W. K24A Syncroplex Telephone Carrier System | 4 | 230–247 |
| Hunter, D. G. N. Use of "Stantec Zebra" to Calculate a Traffic Table for a Three-Link Time-Division-Multiplex Telephone Exchange | 3 | 189–196 |
| Jacobsen, B. B. | | |
| Thermal Noise in Multisection Radio Links | 1 | 42–59 |
| Use of Statistical Moments for Specifying Noise in Long-Distance Telephone Circuits | 3 | 197–201 |
| Koenig, E. W. Design Concepts of a High-Brightness Airborne Radar Indicator | 2 | 132–138 |
| Mindes, B. M. Evaluation of Intermediate-Frequency and Baseband Diversity Combining Receivers | 2 | 123–131 |
| Peakall, E. D. Transformers for 70-Megacycle Intermediate-Frequency Amplifiers | 1 | 27–29 |
| Pollack, L. Radio Communication Using Earth-Satellite Repeaters | 3 | 180–188 |
| Pohl, W. J. Design and Operation of High-Power Triodes for Radio-Frequency Heating | 3 | 202–211 |
| Roussel, P. High-Speed Transmission of Numerical Data Over Telephone Channels | 4 | 248–262 |
| Seymour, J. Assessment and Control of Cathode Interface Impedance | 2 | 112–122 |
| Silverman, S. ITT Standards Laboratory—Operation | 2 | 104–111 |
| Toohig, M. F. Iatron Storage Display Tube with Coaxial Writing and Flooding Guns | 2 | 139–143 |